



CERTIFICATE

No. Z10 020068 0075 Rev. 01

Holder of Certificate: Pepperl+Fuchs AG

Lilienthalstraße 200 68307 Mannheim **GERMANY**

Factory(ies):

062019, 063390, 104943

Certification Mark:



Electro-Sensitive Protective Equipment Product:

ESPE Type 4

Safety Controller Series Model(s):

SafeBox SB4....and modules SB4 Module 4C(P,G,O,OP,OG),

SB4 Module 6C(O), SB4 Module 4M(D), SB4 Module 2E. SB4 Module 4X(P,G), SB4 Module OR. SB4 Module OI1.

SB4 Housing 2, 3, 4, 5, 6, 8 SB4 Interface Adapter IF-SB4-01

Power supply: 24VDC -15%/+20% **Parameters:**

Nominal current: max. 500mA Operating temperature: 0°C...+50°C

Protection class: IP20

Condition: use only with certified Safety Light Grids/Barriers which are appropriate to this system as well as potential-free switching safety

switches and p-switching muting sensors.

IEC 61508-1:2010 (SIL3) **Tested**

IEC 61508-2:2010 (SIL3) IEC 61508-3:2010 (SIL3) IEC 61508-4:2010 (SIL3)

EN ISO 13849-1:2015 (Cat. 4, PL e)

EN 61496-1:2013 (Type 4) IEC 61496-2:2013 (Type 4)

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.:

Valid until:

Date, 2020-06-19

according to:

70018704 2025-06-18

Gert Effenberger)