



भारत गणराज्य

Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

E-mail : explosives@explosives.gov.in
Phone/Fax No : 0712 -2510248, Fax-2510577

Approval No : A/P/HQ/KA/104/6116 (P574597)

Dated : 18/12/2023

To,

M/s. Pepperl+Fuchs AG,
Lilienthalstrasse 200, 68307 Mannheim Germany, Mannheim
68307
GERMANY

Sub : Approval of Flame Proof Type Electrical Equipment. under Petroleum Rules 2002- Regarding.

Sir(s),

Please refer to your letter No. OIN1547972 dated 15/12/2023 on the subject.

The following Ex electrical equipment(s) manufactured by you according to EN 60079-1 : 2014, EN/IEC 60079-0: 2018, standards and covered under INERIS Test reports mentioned below is/are approved for use in Zone 1 of Gas IIA/IIB hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	ENCLOSURE TYPE EJBX***	Ex db IIB+H2 Gb	P574597/1	INERIS	INERIS 14ATEX0022X Issue 3	24/09/2019	
2	ENCLOSURE TYPE EJB***	Ex db IIB+H2 Gb	P574597/2	INERIS	INERIS 14ATEX0022X Issue 3	24/09/2019	

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the INERIS Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified.
 - (c) Number & date of the test report of the INERIS applicable to the equipment.
 - (d) Equipment reference number of this letter by which use of apparatus is approved.
 - (e) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the INERIS Test report and is identical with the one tested and certified at INERIS shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by INERIS in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.
- 6) The After sales service and maintenance of subject equipment shall be looked after by your representative PEPPERL+FUCHS (INDIA) PRIVATE LIMITED, 546/1, 7th Main, IV Phase, Peenya Industrial Estate

This approval also covers the permissible variations as approved under the INERIS test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.
The Approval is Valid upto 31/12/2027

Yours faithfully,

(K. Thiagarajan)
Jt. Chief Controller of Explosives
For Chief Controller of Explosives
Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, South Circle Office, CHENNAI
2. PEPPERL+FUCHS (INDIA) PRIVATE LIMITED, 546/1, 7th Main, IV Phase, Peenya Industrial Estate

for Chief Controller of Explosives
Nagpur

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

This is System Generated document. Signature is not required.