

1 **TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres  
Directive 2014/34/EU**

3 Type Examination Certificate Number: **Baseefa13ATEX0078X – Issue 1**

3.1 In accordance with Article 41 of Directive 2014/34/EU, Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20 April 2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Supplementary Certificates to such Type Examination Certificates, and new issues of such certificates, may continue to bear the original certificate number issued prior to 20 April 2016.

4 Product: **Transmitter Power Supply Type KCD2-STC-Ex1.20\***

5 Manufacturer: **Pepperl + Fuchs GmbH**

6 Address: **Lilienthalstrasse 200, 68307 Mannheim, Germany**

7 This re-issued certificate extends Type Examination Certificate No. Baseefa13ATEX0078X to apply to product designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to

8 SGS Baseefa certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products of Category 3 intended for use in potentially explosive atmospheres given in Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014.

The examination and test results are recorded in confidential Report No. See Certificate History

9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

**EN 60079-0:2012+A11:2013 EN 60079-15:2010**

except in respect of those requirements listed at item 18 of the Schedule.

10 If the sign “X” is placed after the certificate number, it indicates that the product is subject to the Specific Conditions of Use specified in the schedule to this certificate.

11 This TYPE EXAMINATION CERTIFICATE relates only to the design of the specified equipment and not to specific items of equipment subsequently manufactured.

12 The marking of the product shall include the following :

**⊕ II 3G Ex nA IIC T4 Gc (-20°C ≤ Ta ≤ +60°C / +70°C)**

SGS Baseefa Customer Reference No. 0808

Project File No. 15/0577

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.sgs.com/SGSBaseefa/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**SGS Baseefa Limited**

Rockhead Business Park, Staden Lane,  
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail [baseefa@sgs.com](mailto:baseefa@sgs.com) web site [www.sgs.co.uk/baseefa](http://www.sgs.co.uk/baseefa)

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN



R S SINCLAIR  
TECHNICAL MANAGER

On behalf of SGS Baseefa Limited



Clause	Subject	Compliance
1.2.7	LVD type requirements	Manufacturer responsibility
1.2.8	Overloading of equipment (protection relays, etc.)	User/Installer responsibility
1.4.1	External effects	User/Installer responsibility
1.4.2	Aggressive substances, etc.	User/Installer responsibility

### 19 Drawings and Documents

New drawings submitted for this issue of certificate.

Number	Sheet	Issue	Date	Description
16-0981BS-B	1 of 1	B	2016-May-03	Summary
16-0981BS-00B	1 – 11	B	2015-Jul-27	Description
16-0981BS-01A	1 – 4	A	2015-Nov-10	Schematic
16-0806UL-02A	1 – 8	A	2016-May-03	Div 2 / Zone 2 Relevant Components
16-0981BS-03A	1 & 2	A	2015-Nov-10	Layouts
16-0981BS-05A	1 – 4	A	2015-Jul-28	Layouts
16-0806BS-06A	1 – 7	A	2016-May-03	Transformer
16-0981BS-10A	1 – 3	A	2015-Nov-10	Type Label

Current drawings also associated with this certificate.

Number	Sheet	Issue	Date	Description
16-0533-04	1 & 2	-	2005-Dec-05	Mechanical Parts (Housing)

All drawings are common to Baseefa13ATEX0078X and IECEx BAS 13.0043X and held with IECEx BAS 13.0043X.

### 20 Certificate History

Certificate No.	Date	Comments
Baseefa13ATEX0078X	12 December 2013 Reissued 9 April 2014	The release of the prime certificate. The associated test and assessment is documented in Test Report No. GB/BAS/ExTR13.0136/01. Project File No. 13/0208.
Baseefa13ATEX0078X Issue 1	7 June 2016	To permit the use of alternative components requiring a minor PCB change, other minor drawing changes and to confirm that the current design meets the requirements of EN 60079-0: 2012+A11:2013 in respect of the differences from EN 60079-0:2012. Test Report No. GB/BAS/ExTR16.0150/00. Project File No. 15/0577.

For drawings applicable to each issue, see original of that issue.