



Member of the FM Global Group

FM Approvals
1151 Boston Providence Turnpike
P.O. Box 9102 Norwood, MA 02062 USA
T: 781 762 4300 F: 781-762-9375 www.fmapprovals.com

CERTIFICATE OF COMPLIANCE

HAZARDOUS (CLASSIFIED) LOCATION ELECTRICAL EQUIPMENT

This certificate is issued for the following equipment:

WHA-GW-F2D2-0-Aa-Z2-ETH, WirelessHART Gateway
WHA-GW-F2D2-0-Aa-Z2-ETH.EIP, WirelessHART Gateway

NI/II/2/ABCD/T4 Ta = -20°C to 60°C

DIP/II, III/2/EFG/T4 Ta = -20°C to 60°C

Class I, Zone 2 Ex nAc nCc IIC T4 Ta = -20°C to 60°C

Class I, Zone 2 Ex nA nC IIC T4 Gc Ta = -20°C to 60°C

a = Cable entry type: S, B or P.

Equipment Ratings:

Nonincendive for Class I, Division 2, Groups A, B, C and D, indoor and outdoor hazardous (Classified) locations, Dust Ignition Proof for Class II and III, Division 2, Group E, F and G, indoor and outdoor hazardous (Classified) locations; Class I, Zone 2 Ex nAc nCc IIC indoor and outdoor hazardous (Classified) locations; Class I, Zone 2 Ex nA nC IIC Gc indoor and outdoor hazardous (Classified) locations temperature classification T4 Ta = -20°C to 60°C.

FM Approved for:

Pepperl+Fuchs GmbH
Mannheim, Germany

To verify the availability of the Approved product, please refer to www.approvalguide.com

3042646C



This certifies that the equipment described has been found to comply with the following Approval Standards and other documents:

C22.2 No. 25	1966 (R2009)
C22.2 No. 213	1987 (R2008)
C22.2 No. 1010.1	2004
C22.2 No. E60079-0	2011
C22.2 No. E60079-15	2012

Original Project ID: 3042646C

Approval Granted: May 16, 2013

Subsequent Revision Reports / Date Approval Amended

Report Number	Date	Report Number	Date
131008	October 11, 2013		

FM Approvals LLC


J. E. Marquardt
Group Manager, Electrical

11 October 2013
Date

To verify the availability of the Approved product, please refer to www.approvalguide.com

3042646C
Page 2 of 2