

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20170306-E87056  
**Report Reference** E87056-20010103  
**Issue Date** 2017-MARCH-06

**Issued to:** Pepperl+Fuchs GMBH  
LILIENTHALSTRASSE 200  
68307 MANNHEIM GERMANY

**This is to certify that representative samples of** PROXIMITY SWITCHES  
SEE ADDENDUM PAGE FOR Models/Product


Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL 60947-1 - Low-Voltage Switchgear and Controlgear – Part 1: General Rules  
UL 60947-5-2 - Low-voltage Switchgear and Controlgear - Part 5-2: Control Circuit Devices and Switching Elements - Proximity Switches  
CSA C22.2 No. 60947-1-13 - Low-Voltage Switchgear and Controlgear - Part 1: General Rules  
CSA C22.2 No. 60947-5-2-14 - Low-voltage switchgear and controlgear - Part 5-2: Control circuit devices and switching elements - Proximity switches

**Additional Information:** See the UL Online Certifications Directory at [www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE


**Certificate Number** 20170306-E87056  
**Report Reference** E87056-20010103  
**Issue Date** 2017-MARCH-06

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Models/Product

Proximity Switches, Model 3RG4 followed by 0, 1, 2, 3, 7, 8, followed by 0, 1, 2, 3, 4, 5, 6, 7, 8, followed by 0, 1, 2, 3, 4, 5, 6, 8, followed by 0, 1, 2, 3, 6, 7, followed by A, C, G, J, K, followed by A, B, C, D, F, G, K, followed by up to 3 alphanumeric characters, maybe followed by 0AA0, maybe followed by PF, maybe followed by up to 3 alphanumeric characters.

Model N followed by B, E, followed by B, N, followed by 0.8-40, followed by 4-30, followed by GM, GK, GS, GH, M, K, S, H, followed by 1-65, followed by E0, E1, E2, E3, A0, A2, UO, US, UU, Z0, maybe followed by T or up to 3 alphanumeric characters, maybe followed by PUR, maybe followed by V1, V3, maybe followed by FA, FB, M, Y, followed by up to 6 alphanumeric characters.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

