Certificate Number UL-CA-2128125-1

Report Reference E215245-20011220

Date 10-Jan-2023

Issued to: Pepperl+Fuchs SE

Lilienthalstrasse 200 Mannheim 68307

Germany

This is to certify that representative samples of NIPF7 - Active Opto-electronic Protective Devices Certified

for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 14, 12th Ed., Issue Date: 2013-03-01, IEC

61496-1, 3rd Ed., Issue Date: 2012-04-01, Revision Date: 2015-04-01, IEC 61496-2, 3rd Ed., Issue Date: 2013-01-01

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Deborah Jennings-Conner, VP Regulatory Services

(U)

Certificate Number UL-CA-2128125-1
Report Reference E215245-20011220

Date 10-Jan-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
SLC Series , SLC, followed by 14, 30, 60, 90, -2, -3 or -4,	Type 4 safety light curtains, consisting of a
followed by 150, 300, 450, 600, 750, 900, 1040, 1200, 1350, 1500, 1650 or 1800, followed by R or T, may be	transmitter and receiver pair
followed by -S, may be followed by several combinations	
of a slash with numbers or letters.	

Octoah Jennings-Corner

Deborah Jennings-Conner, VP Regulatory Services



Certificate Number Report Reference

UL-US-2133749-1 E215245-20011220

Date

10-Jan-2023

Issued to:

Pepperl+Fuchs SE

Lilienthalstrasse 200 Mannheim 68307

Germany

This is to certify that representative samples of

NIPF - Active Opto-electronic Protective Devices See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety:

IEC 61508-3, 2nd Ed., Issue Date: 2010-04-01, UL 508, 18th Ed., Issue Date: 2018-03-30, Revision Date: 2021-07-08, UL 1998, 3rd Ed., Issue Date: 2013-12-18, Revision Date: 2018-09-24, UL 61496-1, Edition: 3, Issue Date: 2021-2-9, UL 61496-2, Edition: 1, Issue Date: 2002-1-29

Additional Information:

See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For ques contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Olbrah Jennings-Course



Certificate Number UL-US-2133749-1
Report Reference E215245-20011220

Date 10-Jan-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
SLC Series , SLC, followed by 14, 30, 60, 90, -2, -3 or -4, followed by 150, 300, 450, 600, 750, 900, 1040, 1200, 1350, 1500, 1650 or 1800, followed by R or T, may be followed by -S, may be followed by several combinations of a slash with numbers or letters.	Type 4 safety light curtains, consisting of a transmitter and receiver pair

Octoah Jennings-Corner

Deborah Jennings-Conner, VP Regulatory Services

