

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2133562-0
Report Reference E87056-20170509
Date 19-Oct-2021

Issued to: Pepper+Fuchs SE
Lilienthalstrasse 200 Mannheim
Germany 68307

This is to certify that representative samples of NRKH7 - Proximity Switches Certified for Canada
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 No. 60947-1, Low-Voltage Switchgear and Controlgear - Part 1: General Rules


CSA C22.2 No. 60947-5-2, Low-voltage switchgear and Controlgear - Part 5-2: Control circuit devices and switching elements - Proximity switches

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2133562-0
Report Reference E87056-20170509
Date 19-Oct-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
PMI, followed by up to three digits, may be followed by V, followed by -F90, -F112, or -F166, followed by -IU, -U, -I, -EP, -2E2, -3EP, -IU2EP, or -2EPE2, may be followed by - and up to three alphanumeric digits, may be followed by -V15, -V31, -V1, or -V3, may be followed by -3G-3D, -3G, -3D, -M or -M1, may be followed by -Y and up to six alphanumeric digits.	Proximity switches, Class 2 or LVLC



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2140037-0
Report Reference E87056-20170509
Date 19-Oct-2021

Issued to: Pepper+Fuchs SE
Lilienthalstrasse 200 Mannheim
Germany 68307

This is to certify that representative samples of NRKH - Proximity Switches
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60947-1, Low-Voltage Switchgear and Controlgear – Part 1: General Rules

UL 60947-5-2, Low-voltage Switchgear and Controlgear - Part 5-2: Control Circuit Devices and Switching Elements - Proximity Switches

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2140037-0
Report Reference E87056-20170509
Date 19-Oct-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
PMI, followed by up to three digits, may be followed by V, followed by -F90, -F112, or -F166, followed by -IU, -U, -I, -EP, -2E2, -3EP, -IU2EP, or -2EPE2, may be followed by - and up to three alphanumeric digits, may be followed by -V15, -V31, -V1, or -V3, may be followed by -3G-3D, -3G, -3D, -M or -M1, may be followed by -Y and up to six alphanumeric digits.	Proximity switches, Class 2 or LVLC



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

