Certificate of Compliance

Issued to:

Certificate Number:

UL-US-2129945-6

Report Reference:

E87056-20180618

Issue Date:

2024-04-10

Pepperl+Fuchs SE Lilienthalstrasse 200 Mannheim, Baden-Wurttemberg 68307

Germany

This certificate confirms that representative samples of: NRKH2 - Proximity Switches - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 60947-5-2, 3rd Ed., Issue Date: 2014-03-28, UL 60947-1, 5th Ed., Issue Date: 2013-07-31, Revision Date: 2019-05-06

Additional Information: See UL Product iQ® at <u>https://iq.ulprospector.com</u> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

David Piecuch UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



CERTIFICATE OF COMPLIANCE

Certificate number Report reference Date UL-US-2129945-6 E87056-20180618 2024-04-10

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
 F or N, followed by B, C, E, M, R, J or A,, , may be followed by B or N, followed by a number, may be followed by -110, -F, -F1, -F10, -F104M, -F11, -F141, - F148, -F148P10, -F17, -F2, -F202, -F23, -F29, -F29A, - F29B, -F29C, -F33, -F33M, -F34, -F311, -F41, -F41A, - F56, -F69, -F7, -F73, -F74, -F76, -F76M, -F79, -F7A, -F9 or -V3, followed by -B3, -B3B, -A, -A0, -A2, -E01, -E, -E0, - E1, -E2, -E3, -E5, -E34, -EP, -2E2, -N, -N0, -N1, -1N, -SN, -320, -Z2, -Z4, -Z5, -Z4L, -ARO, -ARS, -I3, -EI, -I or -U may be followed by -C, -C3, -B1, -P1, -P2, -P3, -P4, -150, - 250, -T, -IO, -FE, -NFE, -NE/FE, -M, -M1, -M2, may be followed by -C, -C3, -B1, -P1, -P2, -P3, -P4, -150, - 250, -T, -IO, -FE, -NFE, -NE/FE, -M, -M1, -M2, may be followed by -C, -C3, -B1, -P1, -P2, -P3, -P4, -150, -250, -T, -IO, -FE, -NFE, -NE/FE, -M, -M1, -M2, may be followed by -C, -C3, -B1, -P1, -P2, -P3, -P4, -150, -250, -T, -IO, -FE, - NFE, -NE/FE, -M, -M1, -M2, may be followed by a – and number and M or MM, may be followed by -250, -T, -IO, -FE, - NFE, -NE/FE, -M, -M1, -M2, may be followed by a – and number and M or MM, may be followed by -PUR or -PVC, may be followed by -AMP, -3AMP, -4AMP, -3PDK, -4PDK, -3DT04, -4DT04, -3DT06, -DT06, -4DT06, -3MOL, -4MOL, -V1, -V15, -V3, -V5, -V31, -DT, or -AT, may be followed by -3G-3D, -M1, -M or -S2D2, may be followed by -3G-3D, - M1, -M or -S2D2, may be followed by -3G-3D, -M1, -M or - S2D2, may be followed by -Y and any combination of letters and numbers, may be followed by – and any combination of letters and numbers. 	Proximity Switches, Rectangular, Class 2 or LV/LC

ORi

David Piecuch UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



Certificate of Compliance

Certificate Number:

UL-CA-2124887-6

Report Reference:

E87056-20180618

Issue Date:

2024-04-10

Issued to:

Pepperl+Fuchs SE Lilienthalstrasse 200 Mannheim, Baden-Wurttemberg 68307 Germany

This certificate confirms that representative samples of: NRKH8 - Proximity Switches Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA C22.2 NO. 60947-5-2-14, 1st Ed., Issue Date: 2014-03-28, CSA C22.2 No. 60947-1, 2nd Ed., Issue Date: 2013-07-01

Additional Information: See UL Product iQ® at https://ig.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

David Piecuch **UL Mark Certification Program Manager**

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



CERTIFICATE OF COMPLIANCE

Certificate number Report reference Date

UL-CA-2124887-6 E87056-20180618 2024-04-10

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
 F or N, followed by B, C, E, M, R, J or A, , , may be followed by B or N, followed by a number, may be followed by -110, -F, -F1, -F10, -F104M, -F11, -F141, - F148, -F148P10, -F17, -F2, -F202, -F23, -F29, -F29A, - F29B, -F29C, -F33, -F33M, -F34, -F311, -F41, -F41A, - F56, -F69, -F7, -F73, -F74, -F76, -F76M, -F79, -F7A, -F9 or -V3, followed by -B3, -B3B, -A, -A0, -A2, -E01, -E, -E0, - E1, -E2, -E3, -E5, -E34, -EP, -2E2, -N, -N0, -N1, -1N, -SN, -3Z0, -Z2, -Z4, -Z5, -Z4L, -ARO, -ARS, -I3, -EI, -I or -U may be followed by -C, -C3, -B1, -P1, -P2, -P3, -P4, -150, - 250, -T, -IO, -FE, -NFE, -NE/FE, -M, -M1, -M2, may be followed by -C, -C3, -B1, -P1, -P2, -P3, -P4, -150, - 250, -T, -IO, -FE, -NFE, -NE/FE, -M, -M1, -M2, may be followed by -C, -C3, -B1, -P1, -P2, -P3, -P4, -150, - 250, -T, -IO, -FE, -NFE, -NE/FE, -M, -M1, -M2, may be followed by -C, -C3, -B1, -P1, -P2, -P3, -P4, -150, -250, -T, -IO, -FE, -NFE, -NE/FE, -M, -M1, -M2, may be followed by -C, -C3, -B1, -P1, -P2, -P3, -P4, -150, -250, -T, -IO, -FE, - NFE, -NE/FE, -M, -M1, -M2, may be followed by a – and number and M or MM, may be followed by -PUR or -PVC, may be followed by -AMP, -3AMP, -4AMP, -3PDK, -4PDK, -3DT04, -4DT04, -3DT06, -DT06, -4DT06, -3MOL, -4MOL, -V1, -V15, -V3, -V5, -V31, -DT, or -AT, may be followed by -3G-3D, -M1, -M or -S2D2, may be followed by -3G-3D, - M1, -M or -S2D2, may be followed by -3G-3D, - M1, -M or -S2D2, may be followed by -3G-3D, - M1, -M or -S2D2, may be followed by -and any combination of letters and numbers. 	Proximity Switches, Rectangular, Class 2 or LV/LC

DaulPi

David Piecuch UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

