Certificate Number Report Reference Date	UL-CA-2144586-2 E87056-20190131 11-Mar-2022
Issued to:	Pepperl+Fuchs SE Lilienthalstrasse 200 Mannheim 68307 Germany
This is to certify that representative samples of	NRKH7 - Proximity Switches Certified for Canada See Addendum Page for Product Designation(s).
	Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	CSA C22.2 NO. 60947-1, 2nd Ed., Issue Date: 2013-07-31, CSA C22.2 NO. 60947-5-2-14, 1st Ed., Issue Date: 2014- 03-28
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Bamely



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date

UL-CA-2144586-2 E87056-20190131 11-Mar-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Class 2 or LV/LC, Cat. Nos. U, followed by C, followed by a number, followed by -L2 or -L2M, followed by -E4, - E5, -E6, -E7, -U, -I, or -B16 may be followed by –T, followed by -V15 or by a – and number and M, may be followed by -M, may be followed by any combination of letters and/or numbers, may be followed by Y and any combination of letters and / or numbers.	Proximity Switches, Ultrasonic sensor series

Bamely



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date

UL-US-2153066-2 E87056-20190131 11-Mar-2022

Issued to: Pepperl+Fuchs SE Lilienthalstrasse 200 Mannheim 68307 Germany

This is to certify that representative samples of

rtify thatNRKH - Proximity Switchesmples ofSee Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

 Standard(s) for Safety:
 UL 60947-1, 5th Ed., Issue Date: 2013-07-31, Revision

 Date: 2019-05-06, UL 60947-5-2, 3rd Ed., Issue Date: 2014-03-28

Additional Information: See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

4 mally





Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date

UL-US-2153066-2 E87056-20190131 11-Mar-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Class 2 or LV/LC, Cat. Nos. U, followed by C, followed by a number, followed by -L2 or -L2M, followed by -E4, - E5, -E6, -E7, -U, -I, or -B16 may be followed by –T, followed by -V15 or by a – and number and M, may be followed by -M, may be followed by any combination of letters and/or numbers, may be followed by Y and any combination of letters and / or numbers.	Proximity Switches, Ultrasonic sensor series

Bamely



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/