CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Issue Date 20180726-E190294 E190294-20020710 2018-JULY-26

Issued to: Pepperl+Fuchs GB Ltd 77 Ripponden Road Oldham OL1 4EL UNITED KINGDOM

This is to certify that representative samples of

hat INFORMATION TECHNOLOGY EQUIPMENT FOR USE IN s of HAZARDOUS LOCATIONS See addendum page for models

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Additional Information: See addendum page for standards See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.

Barnally

Bruce Mahrenholz, Director North American Certification Program



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Issue Date 20180726-E190294 E190294-20020710 2018-JULY-26

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Models/Product

Class I, Division 2, Groups A, B, C, and D; Class II, Division 2, Group F and G, and Class III Hazardous Locations

Flat Panel Monitors, Models DM510, DM512, DM515, DM519, DM521 and DM522; followed by T0, TA, TH, A0 or N0; followed by D2 or V3; followed by SS, NO or XX (2-digit alpha numerical code); followed by NT, PT, N0, HB, NH, PH or XX (2-digit alpha numerical code)

Class I, Division 2, Groups A, B, C, and D; Class II, Division 2, Groups F and G, and Class III Hazardous Locations with intrinsically safe touchscreen for use in Class I, Division 1, Groups A, B, C and D; Class II, Division 1, Groups F and G; Class III Hazardous Locations.

Flat Panel Monitors, Models DM512, DM515, DM519, DM521 and DM522; followed by A0, MI, TI, HI or N0; followed by D1 followed by SS, NO, or XX (2-digit alpha numerical code); followed by NT, PT, N0, HB, NH, PH or XX (2-digit alpha numerical code);

Standards

ANSI/ISA 12.12.01-2015 and CSA C22.2 NO. 213 - NONINCENDIVE ELECTRICAL EQUIPMENT FOR USE IN CLASS I AND II, DIVISION 2, AND CLASS III, DIVISIONS 1 AND 2 HAZARDOUS (CLASSIFIED) LOCATIONS

UL 913 Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, and III, Division 1, Hazardous (Classified) Locations

CAN/CSA C22.2 No. 157-92 Intrinsically Safe and Non-Incendive Equipment for use in Hazardous Locations

6 mill

Bruce Mahrenholz, Director North American Certification Program



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/