

CERTIFICATE OF COMPLIANCE

Certificate Number 20160805-E190294
Report Reference E190294-20130606
Issue Date 2016-AUGUST-05

Issued to: Pepperl+Fuchs Inc
1600 ENTERPRISE PKWY
TWINSBURG OH 44087-2202

**This is to certify that
representative samples of**


INFORMATION TECHNOLOGY EQUIPMENT FOR USE IN
HAZARDOUS LOCATIONS ; INFORMATION
TECHNOLOGY EQUIPMENT FOR USE IN ZONE
CLASSIFIED HAZARDOUS
SEE ADDENDUM PAGE

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: SEE ADDENDUM PAGE
Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20160805-E190294
Report Reference E190294-20130606
Issue Date 2016-AUGUST-05

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

MODELS

USL, CNL - Class I, Division 2, Groups A, B, C and D Hazardous Locations

USL - Class I, Zone 2, AEx ic nA nC IIC T4 Gc IP66;

Class I, Zone 2, AEx ic nA nC [ic] IIC T4 Gc IP66;
when used with optional rear USB ports.

Class I, Zone 2, AEx ic nA nC [ic] IIC T4 Gc IP66;

Class I, Zone 2, AEx ic nA nC [ic] IIB T4 Gc IP66;
when used with optional front USB port.

CNL - Class I, Zone 2, Ex ic nA nC IIC T4 Gc IP66;

Class I, Zone 2, Ex ic nA nC [ic] IIC T4 Gc IP66;
when used with optional rear USB ports.

Class I, Zone 2, Ex ic nA nC [ic] IIC T4 Gc IP66;

Class I, Zone 2, Ex ic nA nC [ic] IIB T4 Gc IP66;
when used with optional front USB port.

Industrial Visunet eXTreme PC Models RM/PC9715 and RM/PC9719; followed by R; followed by W3; maybe followed by Qx or Cx**; maybe followed by AC or DC; followed by -XT1 or -XTy***; maybe followed by A or B; maybe followed by F0 OR F1; maybe followed by LL, LW, LF or FW; maybe followed by SO or SH; followed by N0 or U1.


**“x” = any letter or number to indicate any combination of either 4GB RAM or 8GB RAM, with or without SD card reader, and specific OS.

*** “x” = any letter or number to indicate with or without SD card reader, and specific OS.

*** y = any letter or number to indicate custom logo

STANDARDS

ANSI/ISA-12.12.01-2013, Nonincendive Electrical Equipment for Use in Class I and II, Division 2 and Class III, Division 1 and 2 Hazardous (Classified) Locations



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20160805-E190294
Report Reference E190294-20130606
Issue Date 2016-AUGUST-05

UL 60079-0 Explosive atmospheres – Part 0: Equipment – General Requirements

UL 60079-11 Explosive Atmospheres - Part 11: Equipment Protection by Intrinsic Safety "i"

UL 60079-15 ELECTRICAL APPARATUS FOR EXPLOSIVE GAS ATMOSPHERES - PART 15:
CONSTRUCTION, TEST AND MARKING OF TYPE OF PROTECTION 'N' ELECTRICAL APPARATUS

UL50 Enclosures for Electrical Equipment, Non-Environmental Considerations

UL50E Enclosures for Electrical Equipment, Environmental Considerations

C22.2 No. 213-M1987 Non-incendive Electrical Equipment for Use in Class I, Division 2 Hazardous Locations

CAN/CSA C22.2 No. 60079-0:11 Explosive atmospheres – Part 0: Equipment – General Requirements

CAN/CSA-C22.2 No. 60079-11:11 Explosive Atmospheres - Part 11: Equipment Protection by Intrinsic Safety "i"

CAN/CSA-C22.2 No. 60079-15:12 Electrical Apparatus for Explosive Gas Atmospheres – Part 15:
Construction, test and marking of type of protection “n” electrical apparatus

CSA C22.2 No. 94.1-07 Enclosures for Electrical Equipment, Non-Environmental Considerations

CSA C22.2 No. 94.2-07 Enclosures for Electrical Equipment, Environmental Considerations



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

